



RESEARCH & DEVELOPMENT



PRODUCTION



TRAINING CENTRE

Carefully selected **products** presented in this Silco catalogue are the result of long-continued cooperation with car refinishing specialists and present our response to your requirements for better efficiency and car refinishing services **on a professional level**.

Silco comprehensive product range enables you to get all the needed products from one source – **one supplier** at the **highest quality level** for a fair price!

Having our own **development** and **production** at the highest quality standards is the key to competitive and technologically high-end products.

**Innovative** development environment, complete product range, together with a whole package of marketing services, as well as **technical support and education**, present a guarantee to all comprehensive car body repair and refinishing shops to perform at **professional and competitive level** of services.

**JOIN US!**

Silco

# Content

1.1	Sanding	5
1.2	Putties	12
1.3	Priming materials	16
1.4	Masking & protection	20
1.5	Final coatings	24
1.6	Paint mixing system S.Mix 84	31
1.7	Aerosols	32
1.8	Polishing	38
1.9	Bodywork protection	42
1.10	Sealing & bonding	44
1.11	Windshield replacement	47
1.12	Preparation & cleaning	52
1.13	Ancillaries & supplement materials	56
1.14	Personal protection & hand cleaning	61
1.15	Equipment	65
1.16	Precleaning	67
1.17	Exterior cleaning	68
1.18	Interior cleaning & care	70
1.19	Cleaning equipment & tools	72

# SANDING

## FILM 3070

Premium quality sanding discs Film Green represent the highest level of expectation from sanding material. Special sanding minerals of exceptional hardness, in combination with durable, plastic film based backing, ensure extraordinary productivity: short sanding time - low labour costs, minimal consumption of sanding material- low material costs and perfect surface quality- less work with the following layer and better base quality for the subsequent layer.

- backing: film
- velcro fastening
- abrasive minerals: premium AlO
- special stearate coat prevents clogging
- excellent cutting performance
- even and smooth finished surface
- diameter: 150 mm, 15 holes
- centre hole for better absorption.

PROD. NR.	GRIT	BOX
3070-080	<b>P 80</b>	<b>100</b>
3070-120	<b>P 120</b>	<b>100</b>
3070-180	<b>P 180</b>	<b>100</b>
3070-240	<b>P 240</b>	<b>100</b>
3070-320	<b>P 320</b>	<b>100</b>
3070-400	<b>P 400</b>	<b>100</b>

PROD. NR.	GRIT	BOX
3070-500	<b>P 500</b>	<b>100</b>
3070-600	<b>P 600</b>	<b>100</b>
3070-1200	<b>P 1200</b>	<b>100</b>
3070-1500	<b>P 1500</b>	<b>100</b>
3070-2000	<b>P 2000</b>	<b>100</b>


**NEW**



## GOLD 3060

Top quality sanding discs Gold are distinguished by exceptional cutting performances and extreme durability due to their special abrasive minerals on flexible backing.

- backing: latex treated C weight paper
- velcro fastening
- abrasive minerals: premium AlO
- special stearate coat prevents clogging
- excellent cutting performance
- even and smooth finished surface
- diameter: 150 mm, 15 holes
- centre hole for better absorption.

PROD. NR.	GRIT	BOX
3060-060	<b>P 60</b>	<b>100</b>
3060-080	<b>P 80</b>	<b>100</b>
3060-120	<b>P 120</b>	<b>100</b>
3060-150	<b>P 150</b>	<b>100</b>
3060-180	<b>P 180</b>	<b>100</b>
3060-220	<b>P 220</b>	<b>100</b>
3060-240	<b>P 240</b>	<b>100</b>

PROD. NR.	GRIT	BOX
3060-280	<b>P 280</b>	<b>100</b>
3060-320	<b>P 320</b>	<b>100</b>
3060-360	<b>P 360</b>	<b>100</b>
3060-400	<b>P 400</b>	<b>100</b>
3060-500	<b>P 500</b>	<b>100</b>
3060-600	<b>P 600</b>	<b>100</b>




**GOLD 4060**

- diameter: 200 mm, 8 holes, velcro.

PROD. NR.	GRIT	BOX
4060-060	<b>P 60</b>	<b>100</b>
4060-080	<b>P 80</b>	<b>100</b>
4060-120	<b>P 120</b>	<b>100</b>
4060-150	<b>P 150</b>	<b>100</b>

4060-180	<b>P 180</b>	<b>100</b>
4060-220	<b>P 220</b>	<b>100</b>
4060-240	<b>P 240</b>	<b>100</b>
4060-320	<b>P 320</b>	<b>100</b>
4060-400	<b>P 400</b>	<b>100</b>

**GOLD 5060**

- dimensions: 115 x 230 mm, 10 holes, velcro.

PROD. NR.	GRIT	BOX
5060-080	<b>P 80</b>	<b>100</b>
5060-120	<b>P 120</b>	<b>100</b>
5060-180	<b>P 180</b>	<b>100</b>
5060-220	<b>P 220</b>	<b>100</b>

5060-240	<b>P 240</b>	<b>100</b>
5060-320	<b>P 320</b>	<b>100</b>
5060-360	<b>P 360</b>	<b>100</b>
5060-400	<b>P 400</b>	<b>100</b>

**GOLD 6060**


- dimensions: 70 x 420 mm, 14 holes, velcro.

PROD. NR.	GRIT	BOX
6060-040	<b>P 40</b>	<b>100</b>
6060-060	<b>P 60</b>	<b>100</b>
6060-080	<b>P 80</b>	<b>100</b>
6060-120	<b>P 120</b>	<b>100</b>
6060-150	<b>P 150</b>	<b>100</b>
6060-240	<b>P 240</b>	<b>100</b>

**GOLD 7060**

- dimensions: 115 mm x 50 m.

PROD. NR.	GRIT	BOX
7060-060	<b>P 60</b>	<b>50 m</b>
7060-080	<b>P 80</b>	<b>50 m</b>
7060-120	<b>P 120</b>	<b>50 m</b>
7060-220	<b>P 220</b>	<b>50 m</b>
7060-320	<b>P 320</b>	<b>50 m</b>





## WATERPROOF SHEETS 4090

Waterproof sanding sheets of the highest quality for wet sanding of all kinds of car refinishing materials.

- durable
- flexible
- excellent cutting performance
- resistance to clogging
- perfect finish
- dimensions: 230 x 280 mm.

PROD. NR.	GRIT	BOX
4090-0240	<b>P 240</b>	<b>50</b>
4090-0320	<b>P 320</b>	<b>50</b>
4090-0400	<b>P 400</b>	<b>50</b>
4090-0500	<b>P 500</b>	<b>50</b>
4090-0600	<b>P 600</b>	<b>50</b>

PROD. NR.	GRIT	BOX
4090-0800	<b>P 800</b>	<b>50</b>
4090-1000	<b>P 1000</b>	<b>50</b>
4090-1200	<b>P 1200</b>	<b>50</b>
4090-1500	<b>P 1500</b>	<b>50</b>
4090-2000	<b>P 2000</b>	<b>50</b>



## SANDING PAD FLEX 5150

Abrasive material on soft foam backing for manual sanding of contours, curves and difficult areas.

- flexibility and durability
- wet or dry sanding
- uniform surface
- does not form any sharp edges
- dimensions: 140 x 115 mm.

PROD. NR.	GRIT	BOX
5150-F	<b>FINE P 80/100</b>	<b>30</b>
5150-SF	<b>SUPER FINE P 220/240</b>	<b>30</b>
5150-UF	<b>ULTRA FINE P 320/400</b>	<b>30</b>
5150-MF	<b>MICRO FINE P 500/600</b>	<b>30</b>



**NEW**



## FOAM BACKED SANDING PAPER SBS 6160

Abrasive material on soft foam backing for manual treatment of ribs, scratches, and complicated contours.

- flexibility and durability
- uniform surface
- sanding minerals: AlO
- dimensions: 115 mm x 25 m.

PROD. NR.	GRIT	BOX
6160-180	<b>P 180</b>	<b>1</b>
6160-240	<b>P 240</b>	<b>1</b>
6160-320	<b>P 320</b>	<b>1</b>
6160-400	<b>P 400</b>	<b>1</b>
6160-500	<b>P 500</b>	<b>1</b>
6160-600	<b>P 600</b>	<b>1</b>
6160-800	<b>P 800</b>	<b>1</b>



## S.BRITE CSD DISC 6210 - 6221

High performance cleaning disc made of nylon impregnated with special abrasive minerals. Useful for removal of rust, protective coatings, welding drops down to bare metal.

- excellent cutting performance
- flexibility
- durability.

PROD. NR.	DESCRIPTION	BOX
6210	DISC 100 mm, TOP QUALITY	1
6115	DISC FOR ANGULAR GRINDER 115 mm, TOP QUALITY	1
6230	BLACK DISC 100 mm	1
6240	BLACK DISC 150 mm	1
6221	ARBOUR	1



NEW



## SCUFF PAD S.BRITE 2250 - 2261

A three dimension, non-woven product, made of nylon impregnated with special abrasives. Useful for cleaning, finishing and most of all flattening paint or panels before painting or making fade-outs.

- excellent cutting performance
- uniform treated surface
- long durability
- may be used wet or dry
- used from both sides.

PROD. NR.	DESCRIPTION	GRIT	COLOUR	BOX
2250	PAD, 152 x 229 mm	P 320	RED	10
2251	PAD, 152 x 229 mm	P 600	GREY	10
2252	DISC, 150 mm	P 320	RED	10
2253	DISC, 150 mm	P 600	GREY	10
2254	PAD, 152 x 229 mm	P 1000	GOLD	10
2255	PAD, 152 x 229 mm	-	WHITE	10
2260	ROLL, 115 mm x 10 m	P 320	RED	1
2261	ROLL, 115 mm x 10 m	P 600	GREY	1



NEW



## CONTROL DRY COAT 3520 - 3521

Solvent free powder for easier control of sanded surface. Set contains applicator and two refills of 30 g.

- solvent free
- no clogging of sanding paper.

PROD. NR.	DESCRIPTION	BOX
3520	SET (APPLICATOR + 2 x 30 g)	1
3521	REFILL, 2 x 30 g	1



## FLATTENING PASTE S.MATT 9050

Water based paste for preparing surface before painting. Cleaning, flattening and degreasing in one step. Does not leave deep scratches.

- mechanically and chemically removes waxes and silicones
- possible to use with water
- manual or machine use
- removal of paint mist and difficult stains.

PROD. NR.	CONTENT	COLOUR	BOX
9050-1,0	1 kg	GREY	12
5003	NYLON BRUSH	-	1



## CONTROL BLACK SPRAY 3550

High quality, acrylic black matt paint in aerosol to be used as control spray before filler sanding.

- good adhesion
- high covering power
- economic in use
- fast drying.

PROD. NR.	CONTENT	BOX
3550	500 ml	12



NEW



## TAPE REMOVAL DISC 1012 - 1015

Fast and residue free removal of labels, stickers, decorative stripes etc. without damaging the surface.

- suitable for all types of paints
- flexible, durable
- special gear shape prevents surface overheating
- dimensions: Ø 100 x 30 mm.

PROD. NR.	DESCRIPTION	BOX
1012	DISC, 2 pcs + ARBOR	1
1015	GEAR SHAPE DISC, 2 pcs + ARBOR	1
1016	REPLACEMENT ARBOR	1



## EXCENTRIC PALM SANDER 9180

Quality single hand air driven palm sander.

- to be used with velcro discs Ø 150 mm
- efficient dust absorption system
- low vibration and noise
- 5 mm orbit.
- air consumption: 360 l/min
- dust extraction connection: 27 mm
- pressure connection: 1/4"
- weight: 980 g.

PROD. NR.	DESCRIPTION	BOX
9180	PALM SANDER	1



## UNIVERSAL BACKING PAD 2209

Top quality medium hard multi hole universal backing pad.

- to be used with velcro discs Ø 150 mm
- perfectly balanced
- universal for most of the sanders available on the market
- durable construction material and velcro
- highly effective absorption channels
- multi hole for 6+1, 9 and 15 holes discs.

PROD. NR.	DESCRIPTION	BOX
2209	BACKING PAD, MEDIUM, 150 mm	1



## SOFT INTERFACE PAD 4633

Flexible, soft interface pad for final sanding.

- to be used with velcro discs Ø 150 mm, 15H
- fastening: velcro.

PROD. NR.	DESCRIPTION	BOX
4633	SOFT INTERFACE PAD	2



## SANDING BLOCK 2208

Sanding block for manual sanding of even surfaces.

- to be used with velcro Gold discs 115 x 230 mm
- fastening: velcro.

PROD. NR.	DESCRIPTION	BOX
2208	SANDING BLOCK	1



## SANDING BLOCK 2211

Sanding block for manual sanding with dust extraction.

- to be used with velcro Gold discs 115 x 230 mm
- fastening: velcro
- connection for dust extraction hose: 27 mm.

PROD. NR.	DESCRIPTION	BOX
2211	SANDING BLOCK	1





## SANDING BLOCK 2212

Sanding block for manual sanding of even surfaces.

- with absorption system
- to be used with velcro Gold discs 70 x 420 mm
- fastening: velcro.

PROD. NR.	DESCRIPTION	BOX
2212	SANDING BLOCK, 70 x 420 mm	1



## SANDING BLOCK 2220

Sanding block for manual sanding of even surfaces.

- to be used with velcro discs Ø 150 mm
- fastening: velcro.

PROD. NR.	DESCRIPTION	BOX
2220	SANDING BLOCK	1



## SANDING BLOCK 2223

Sanding block for manual sanding of uneven surfaces. Convex form of the sanding surface.

- to be used with velcro discs Ø 150 mm
- fastening: velcro.

PROD. NR.	DESCRIPTION	BOX
2223	SANDING BLOCK	1



NEW



## SANDING BLOCK 2225

Rubber sanding block for wet and dry sanding.

PROD. NR.	DESCRIPTION	BOX
2225	SANDING BLOCK, 70 x 125 mm	1



NEW



# PUTTIES

## MULTIMAX 6100

All-purpose lightweight polyester putty. Its low specific weight enables it to fill irregularities and dents with significantly less product (by weight) in comparison with conventional putties.

- excellent adhesion to galvanized and electrozinc-coated metals, steel surfaces and alu
- very easy to spread, with high thixotropy
- non-porous, smooth surface
- excellent sanding, beginning with P120.

PROD. NR.	CONTENT	BOX
6100	1500 ml	8



## MULTI+ 6200

Universal polyester putty, characterized by its fine, creamy texture and ease of application, easily obtaining a pin-hole free finish.

- excellent adhesion to galvanized and electrozinc-coated metals, steel surfaces and aluminium
- very easy to spread
- non-porous, smooth surface
- excellent sanding.

PROD. NR.	CONTENT	BOX
6200	2 kg	6



Powered by  
**Quality**

## MULTI LIGHT 6300

Universal lightweight polyester putty. Its low specific weight (1,27 kg/l) enables it to fill irregularities and dents with significantly less product (by weight) in comparison with conventional putties.

- excellent adhesion to galvanized and electrozinc-coated metals, steel surfaces and aluminium
- very easy to spread, with high thixotropy
- non-porous, smooth surface
- excellent sanding.

PROD. NR.	CONTENT	BOX
6300	1,3 kg	6



## MULTI FIBER 6400

Polyester putty reinforced with fibreglass to increase its resistance. Appropriate to repair polyester pieces and rusted metallic areas.

- small size fibre particles ensure easy spreading
- quick drying
- non-sagging.

PROD. NR.	CONTENT	BOX
6400	1,8 kg	6



## MULTI ALU 6500

Polyester putty with aluminium particles for filling of deeper holes or dents in thicker layers without danger of cracking or sagging.

- strong adhesion, even to galvanized metals
- easy spreading and quick drying
- soft sanding
- non-sagging.

PROD. NR.	CONTENT	BOX
6500	2 kg	6



## POLYBOND SOFT+ 6025

Universal soft polyester putty.

- good adhesion to galvanized and electrozinc-coated metals, steel surfaces and aluminium
- very easy to spread
- non-porous, smooth surface
- easy sanding.

PROD. NR.	CONTENT	BOX
6025	1,8 kg	8



## FLEXPLAST II 6040

Special polyester putty, very flexible, specially designed to repair any kinds of plastic.

- strong adhesion on all kind of plastic without special primer
- easy spreading and quick drying
- non-sagging
- grey anthracite colour enables easier over-coating with any primer filler.

PROD. NR.	CONTENT	COLOUR	BOX
6040	1 kg	ANTHRACITE	6



## PUTTY HARDENER 6065

Quality hardener for POE putties.

PROD. NR.	CONTENT	BOX
6065	40 g	12



**NEW**



## PLASTIC SPREADER 5061

Plastic spreader made of elastic, solvent resistant material.


PROD. NR.	DIMENSIONS	BOX
5061	8 x 12 cm, 10 pcs	1



## METAL SPREADER 5062

Set of 4 flexible steel spreaders.

PROD. NR.	DIMENSIONS	BOX
5062	5, 8, 10, 12 cm	1





## PUTTY BOARD 5075

Practical solution for putty mixing. No cleaning necessary. Rip off the first page after use and it is ready for the next job.

PROD. NR.	DESCRIPTION	BOX
5075	PUTTY BOARD	1


**NEW**


## 2K POLYESTER SPRAYABLE PUTTY 8080

2K Polyester spray putty to easily level small irregularities in larger surfaces.

- high filling power
- easy to apply, excellent flow
- quick drying
- to be applied over bare metal, epoxy primer fillers or original paints
- supplied with hardener.

PROD. NR.	CONTENT	BOX
8080	1 kg	9



## POLYESTER SPRAY PUTTY 8585

One-component polyester spray putty to easily level small irregularities.

- high filling power
- easy to apply, excellent flow
- quick drying
- to be applied over bare metal, epoxy primer fillers or original paints.

PROD. NR.	CONTENT	BOX
8585	400 ml	12


**NEW**


## GLASS FIBRE KIT LARGE 3260

Repairs holes, splits and cracks in steel, aluminium, glass fibre and wood.

- perfect adhesion to most surfaces
- sandable after 20 minutes (at 20°C)
- can be covered by the majority of primers & paint systems.

PROD. NR.	DESCRIPTION	BOX
3260	RESIN 1 kg, HARDENER, GLASS FIBRE MAT, MIXING STICK, CUP AND GLOVE	1



# PRIMING MATERIALS

## 1K PLASTIC PRIMER 5160

One component cleaner & adhesion promoter for plastic substrates. Appropriate for most of the types of plastic being used in automotive industry like bumpers, trims etc.

- excellent adhesion
- quick drying
- slightly dyed for easier assessment of application
- ready for use.

PROD. NR.	CONTENT	BOX
5160	1 L	12



## 1K PLASTIC PRIMER 4940

One component cleaner & adhesion promoter in aerosol for plastic substrates. Appropriate for most of the types of plastic being used in automotive industry like bumpers, trims etc.

- excellent adhesion
- slightly dyed for easier assessment of application
- quick drying.

PROD. NR.	CONTENT	COLOUR	BOX
4940	400 ml	TRANSPARENT/SILVER	12



## ETCH PRIMER 4110

1K aerosol self etch primer delivers even application, good fill, excellent corrosion protection and fast dry times in a convenient and easy-to-spray aerosol.

- perfect adhesion to steel, zinc and aluminium surfaces
- to be used as a welding primer or rust protection primer
- for sand-through areas, spot repair and parts refinishing.

PROD. NR.	CONTENT	COLOUR	BOX
4110	400 ml	GREY	12



## EPOXY PRIMER 2110

Epoxy based primer with high filling power, excellent adhearance and high resistance to chemicals.

- suitable for application over old paint or polyester putties
- polyester putty could be applied over it
- easy to spray, easy to sand wet or dry
- suitable for wet-on-wet application
- hardener: 2120, 3:1 in volume.

PROD. NR.	CONTENT	COLOUR	BOX
2110	1 L	GREY	6



## EPOXY HARDENER 2120

Quality epoxy hardener.

PROD. NR.	CONTENT	BOX
2120-0,33	333 ml	6
2120-1	1 L	6



## 1K NITRO PRIMER 7180

Industrial primer based on nitrocellulose and synthetic resin with good corrosion protection.

- strong adhesion to substrates
- overpaintable with synthetic, nitro or acrylic coatings
- quick drying
- resistance against weather and chemicals
- high covering power.

PROD. NR.	CONTENT	COLOUR	BOX
7180	750 ml	GREY	6



## ZINC SPRAY 4020

Quick-drying, cathode protection against corrosion with excellent long-term effects for metals. Contains 99% pure zinc.

- protection of scratches and welding points
- corrosion protection of galvanized surfaces
- resistance to salt water
- conductive intermediate layers in spot welding
- especially suitable for vehicle bodywork.

PROD. NR.	CONTENT	COLOUR	BOX
4020	400 ml	ZINC	12



## WB SPOT PRIMER 5900

Waterbased 1K extra fast spot primer for small repairs.

- extreme fast drying
- smooth surface, ideal for wet-on-wet application
- no hardener needed, stored in a spray gun could be used for up to 2 weeks.

PROD. NR.	CONTENT	BOX
5900	1 L	6



## 1K HQ SPRAY FILLER - PRIMER 1818

One component high fill quick drying filler in aerosol for small repairs.

- suitable substrate for all kinds of topcoats
- resistant to antislip degreaser
- high filling power
- easy to sand
- fast drying.

PROD. NR.	CONTENT	COLOUR	BOX
1818-A	400 ml	WHITE	12
1818-B	400 ml	BLACK	12
1818-C	400 ml	GREY	12



## HS FILLER QUICK FILL 3900

Technologically advanced high productive filler that dries out in 60 min at 20°C!

- extremely fast air drying without any baking
- easy sanding
- perfect smooth surface
- no sagging
- hardener 9230 or 9250 - 5:1 in volume.

PROD. NR.	CONTENT	COLOUR	BOX
3900-C-1	1 L	GREY	6
3900-C-4	4 L	GREY	2



**NEW**





## HS FILLER - PRIMER 8900 SUPERIOR

HS top-quality acrylic primer-filler of the latest generation suitable for spot repair or larger surfaces.

Product is very easy to apply even in higher thickness, the surface appears smooth and is easy to sand dry or wet.

- direct to metal application (corrosion protection)
- high filling power
- fast drying, easy to sand - saves time, effort and sanding paper
- smooth surface: superb topcoat appearance
- VOC compliant
- hardener: 9230 or 9250 - 5:1 in volume.

PROD. NR.	CONTENT	COLOUR	BOX
8900-A-4	4 L	WHITE	2
8900-C-1	1 L	GREY	6
8900-C-4	4 L	GREY	2
8900-B-1	1 L	DARK GREY	6
8900-B-4	4 L	DARK GREY	2



## HS FILLER - PRIMER 7900+

HS high quality acrylic primer-filler distinguished by its productivity.

- direct to metal application (corrosion protection)
- high filling power
- fast drying, easy sanding
- VOC compliant
- hardener: 9230 or 9250 - 5:1 in volume.

PROD. NR.	CONTENT	COLOUR	BOX
7900-A-4	4 L	WHITE	2
7900-C-1	1 L	GREY	6
7900-C-4	4 L	GREY	2
7900-B-4	4 L	DARK GREY	2



## 2K HARDENER 9230 - 9250

Quality acrylic hardener for HS Filler - Primer 8900, 7900+ and Clear Coat Maxx 2.

PROD. NR.	CONTENT	DESCRIPTION	BOX
9230-0,2	200 ml	FAST	12
9230-0,8	800 ml	FAST	12
9250-0,2	200 ml	STANDARD	12
9250-0,8	800 ml	STANDARD	12



# MASKING AND PROTECTION

## MASKING FILM AQUATOP 4100

Top quality PE masking foil. Its special structure prevents formation of stains on paint due to the residual humidity.

- high thickness and resistance to tearing
- transparency of the foil enables recognition of the vehicle's shape and makes the cutting easier
- excellent adhesion of any kind of paint or fillers
- electrostatically loaded – holds on car and holds paint mist
- resistant up to 110°C object temperature.

PROD. NR.	DIMENSIONS	BOX
4100	4 m x 200 m	1
5096	CUTTER	5



## MASKING FILM TOP 4200

Top quality PE masking foil enables the easiest and fastest way of protecting car body or parts of it before painting.

- high thickness and resistance to tearing
- excellent adhesion of paint or fillers
- electrostatically loaded – holds on car and holds paint mist
- translucent colour.

PROD. NR.	DIMENSIONS	BOX
4200	4 m x 150 m	1



## MASKING FOIL LIGHT 4300

Quality PE masking foil enables the easiest and fastest way of protecting car body or parts of it before painting.

- good adhesion of paint or fillers
- translucent colour.

PROD. NR.	DIMENSIONS	BOX
4300-150	4 m x 150 m	1
4300-300	4 m x 300 m	1



## MASKING FOIL LIGHT 4305

Economical masking foil.

PROD. NR.	DIMENSIONS	BOX
4305	4 m x 5 m	1



## COVER QUICK 4310

Masking foil with integrated masking tape for quickly covering windows, shock absorbers, bumpers, etc.

PROD. NR.	DIMENSIONS	BOX
4310-1200	ROLL, 1,2 m x 33 m	1
4310-2700	ROLL, 2,7 m x 33 m	1
4315	HANDLE	1



**NEW**



## MASKING PAPER KRAFT 1060 - 1085 - 1120

High strength Kraft masking paper. High density makes it impermeable to paints.

- good adhesion of paint and paint mist
- resistant to solvents
- specific weight: 40 g/m<sup>2</sup>.

PROD. NR.	DIMENSIONS	BOX
1060	60 cm x 250 m	2
1085	85 cm x 450 m	1
1120	120 cm x 250 m	2



## FILM MASKING PAPER 1020

Professional masking paper overcoated with special plastic layer in order to make it impermeable even to waterborne paints.

- good adhesion of paint and paint mist
- resistant to solvents.

PROD. NR.	DIMENSIONS	BOX
1020	85 cm x 200 m	2




## FINE LINE TAPE 1686 - 1687

Highly flexible tape for design and multicolour painting.

- temperature resistant up to 100°C.

PROD. NR.	DIMENSIONS	COLOUR	BOX
1686	6 mm x 55 m	YELLOW	1
1687	6 mm x 55 m	GREEN	1



## MASKING FOAM 4001

Quality adhesive foam tape for sealing of the gaps between the car body and for example the doors, the hood etc. and to avoid the formation of paint edges.

- temperature resistant up to 80°C
- soft paint transition
- flexible foam
- residue-free glue.

PROD. NR.	DIMENSIONS	BOX
4001-13	13 mm x 50 m	1
4001-19	19 mm x 50 m	1



## SILVER TAPE 7660 - BLACK TAPE 7760

Masking – mounting tape reinforced with textile.

- strong adhesion and strength
- resistant to water, sandblasting etc.

PROD. NR.	DESCRIPTION	DIMENSIONS	BOX
7660	SILVER TAPE	50 mm x 50 m	12
7760	BLACK TAPE	50 mm x 50 m	12



NEW



## PE EXTENSIBLE FILM 1960

Polyethylene extensible film for protection of steering wheel and other objects.

PROD. NR.	DIMENSIONS	BOX
1960	ROLL 125 m x 12,5 cm + HANDLE	1
1961	ROLL 125 m x 12,5 cm	48



## SEAT COVERS 3860

Kit for the protection of the car interior consisting of:

- seat cover
- foot area cover
- gear stick cover
- hand brake cover

All the covers come from one roll, made of special non-slip PE material of thickness of 15 microns.

PROD. NR.	DESCRIPTION	BOX
3860	BOX OF 50 KITS	1



NEW





## MASKING TAPE PROMASK 1368 - 1371

Top quality professional masking tape for body shops, resistant to high oven temperatures.

- suitable for waterborne paints
- guaranteed removal without any residues on either metallic or plastic surfaces
- easy handling around corners, hand tearable
- resistant to 90°C, for shorter periods up to 110°C.

PROD. NR.	DIMENSIONS	BOX
1368	19 mm x 50 m	48
1369	25 mm x 50 m	36

PROD. NR.	DESCRIPTION	BOX
1370	38 mm x 50 m	24
1371	50 mm x 50 m	24



## MASKING TAPE PROTAPE HT II 1468 - 1471

High quality masking tape, for body shops. Suitable for waterborne paints.

- quality glue which does not leave traces on the surface
- easy handling around corners, hand tearable
- resistant to 80°C.

PROD. NR.	DIMENSIONS	BOX
1468	19 mm x 50 m	48
1469	25 mm x 50 m	36
1472	30 mm x 50 m	32

PROD. NR.	DESCRIPTION	BOX
1470	38 mm x 50 m	24
1471	50 mm x 50 m	24



## FLEX TAPE 1560

Very thin, flexible and waterproof masking tape.

- resistant up to 100°C
- perfect adhesion even to plastic and rubber
- no glue residues.

PROD. NR.	DIMENSIONS	BOX
1560	19 mm x 50 m	1



## X-MASK TAPE 2160

Masking tape with polyester edge designed for masking of rubber window trims.

- non-adhesive edge for easier removal
- temperature resistant up to 100°C
- perforated for easier masking
- suitable for waterborne paints.

PROD. NR.	DIMENSIONS	BOX
2160	50 mm x 10 m	6



# FINAL COATINGS

## UHS CLEAR COAT MAXX 8 9810 PREMIUM

Superior acrylic, UHS clear coat designed for application over waterbase or solvent basecoat.

- easy application, excellent overflow, brilliant deep gloss
- quick drying, only 20 min/60°C
- if necessary, polishing 30 min after cooling
- high durability and resistance to yellowing
- compliant to VOC 420 requirements
- hardener 9813, 9815 or 9817 (vol. 2:1).

PROD. NR.	CONTENT	BOX
9810-1	1 L	12
9810-5	5 L	3



## UHS HARDENERS 9813 - 9815 - 9817

High quality UHS acrylic hardener for Clear Coat Maxx 8 Premium.

PROD. NR.	CONTENT	DESCRIPTION	BOX
9813-0,5	500 ml	FAST	12
9813-2,5	2,5 L	FAST	3
9815-0,5	500 ml	STANDARD	12
9815-2,5	2,5 L	STANDARD	3
9817-0,5	500 ml	SLOW	12
9817-2,5	2,5 L	SLOW	3



Powered by  
**Quality**

## UHS CLEAR COAT MAXX 8 EXPRESS 9805

Superior acrylic, UHS clear coat distinguished by its extreme fast drying time without diminishing its superior appearance.

- easy application, excellent overflow, excellent gloss
- quick drying, only 15 min/60°C
- if necessary polishing immediately after cooling
- high durability and resistance to yellowing
- compliant to VOC 420 requirements
- hardener 9830 or 9850 (vol. 2:1).

PROD. NR.	CONTENT	BOX
9805-1	1 L	12
9805-5	5 L	3



## UHS HARDENERS 9830 - 9850

High quality UHS acrylic hardener for Clear Coat Maxx 8 Express.

PROD. NR.	CONTENT	DESCRIPTION	BOX
9830-0,5	500 ml	FAST	12
9830-2,5	2,5 L	FAST	3
9850-0,5	500 ml	STANDARD	12
9850-2,5	2,5 L	STANDARD	3



## CLEAR COAT MAXX AIR 9700

Revolutionary ultra high solid clear coat that dries out without any heating.

- easy application, excellent overflow, brilliant deep gloss
- dust free in 15 min/20°C
- completely dry after 45-60 min/20°C
- high durability and resistance to yellowing
- enables saving on energy costs and working time
- hardener 9130 (vol. 1:1)
- compliant to VOC 420 regulations.

PROD. NR.	CONTENT	BOX
9700	1 L	12



## HARDENER 9110 - 9130

Special hardeners for Clear coat Maxx Air (9130) and Activator for basecoat (9110).

PROD. NR.	CONTENT	BOX
9130-1	HARDENER	1 L
9110-0,5	ACTIVATOR FOR BASECOAT	500 ml



## CLEAR COAT MAXX MATT 9500

HS acrylic matt clearcoat, designed for specialised repair of areas requiring a matt finish and particularly suitable for finishes on plastic parts like bumpers etc.

- easy to apply, easy to reach uniform finish without clouds
- high degree of opacity, high scratch resistance
- high elasticity, silky, smooth surface
- can be applied over waterbase or solvent basecoat
- VOC compliant
- hardener 9230 and 9250 (3:1 in volume).

PROD. NR.	CONTENT	BOX
9500-1	1 L	6



## HS CLEAR COAT MAXX 4 9400

High quality scratch resistant clear coat with short drying time.

- easy application, excellent overflow
- quick drying, only 15 min/60°C
- brilliant gloss, high durability and resistance to yellowing
- VOC compliant
- hardener 9430, 9450 and 9470 (vol. 2:1).

PROD. NR.	CONTENT	BOX
9400-1	1 L	12
9400-5	5 L	3



## HS HARDENERS 9430 - 9450 - 9470

Quality HS hardener for Clear Coat Maxx 4.

PROD. NR.	CONTENT	DESCRIPTION	BOX
9430-0,5	500 ml	FAST	12
9430-2,5	2,5 L	FAST	3
9450-0,5	500 ml	STANDARD	12
9450-2,5	2,5 L	STANDARD	3
9470-0,5	500 ml	SLOW	12
9470-2,5	2,5 L	SLOW	3



All our products are made of the best available raw materials, produced with advanced production technologies and thoroughly tested. We are particularly proud of our clear coats Maxx 8 Premium and Maxx 4. Due to the perfect properties we can assure you:

- long-term deep gloss
- resistance to yellowing
- resistance to cracking.

Comparison of Silco Maxx 8 Premium UHS Clear Coat with a "cheaper - VOC" clear coat after simulation of 5 year ageing.





## 2K CLEAR COAT MAXX 2 9200

Quality acrylic scratch resistant clear coat. VOC compliant.

- quick drying, only 15 min/60°C
- easy application, excellent overflow
- brilliant gloss, resistance to yellowing
- hardener 9230, 9250 or 9270 (vol. 2:1).

PROD. NR.	CONTENT	BOX
9200-1	1 L	12
9200-5	5 L	3



## 2K HARDENER 9230 - 9250 - 9270

Quality acrylic hardener.

PROD. NR.	CONTENT	DESCRIPTION	BOX
9230-0,5	500 ml	FAST	12
9230-2,5	2,5 L	FAST	3
9250-0,5	500 ml	STANDARD	12
9250-2,5	2,5 L	STANDARD	3
9270-0,5	500 ml	SLOW	12
9270-2,5	2,5 L	SLOW	3



## HIGH GLOSS CLEAR COAT 9004

High quality, high gloss clear coat in aerosol for spot repair in automotive painting. Suitable also for waterborne base coats. Special formulation enables high durability and anti-yellowing protection.

- quick drying
- brilliant gloss.

PROD. NR.	CONTENT	BOX
9004	400 ml	12



## BLACK MATT PAINT 9005

High quality acrylic black matt paint in aerosol for general use.

- good adhesion
- high covering power
- economic in use
- quick drying.

PROD. NR.	CONTENT	BOX
9005	400 ml	12



## 1K BLACK MATT PAINT 7170

1K black matt paint based on quality nitrocellulose resin.

- high covering power
- quick drying
- durability.

PROD. NR.	CONTENT	BOX
7170	750 ml	6



## WHITE MATT PAINT 9016

High quality acrylic white matt paint in aerosol for general use.

- good adhesion
- high covering power
- economic in use
- quick drying.

PROD. NR.	CONTENT	BOX
9016	400 ml	12



## SILVER WHEEL PAINT 7007

High gloss silver paint for restoring the appearance of wheel rims and decorative wheel covers. Based on acrylic resin with high quality aluminium pigments.

- very good adhesion to a variety of substrates
- suitable for chromed, metal and plastic parts
- quick drying
- high covering power, economic in use.

PROD. NR.	CONTENT	BOX
7007	400 ml	12



## SILVER WHEEL PAINT 7080

A high gloss silver paint for restoring the appearance of wheel rims and decorative wheel covers. Based on acrylic resin with high quality aluminium pigments.

- very good adhesion to a variety of substrates
- suitable for chromed, metal and plastic parts
- quick drying
- high covering power, economic in use.

PROD. NR.	CONTENT	BOX
7080	750 ml	6



## THERMO PAINT 1072

Paint in aerosol designed to protect surfaces exposed to high temperatures (exhaust, engine parts etc.).

- excellent adhesion to different metal substrates
- temperature resistant up to 600°C
- anti-corrosion protection
- high covering power.

PROD. NR.	CONTENT	COLOUR	BOX
1072-A	400 ml	SILVER	12
1072-B	400 ml	BLACK	12



## BUMPER PAINT 6116

One-component special structurized coating for plastic body parts.

- direct application (without primer)
- quick drying
- structure regulation with spraying distance.

PROD. NR.	CONTENT	DESCRIPTION	BOX
6116-A	750 ml	ANTHRACITE	6
6116-B	750 ml	BLACK	6



## PRE-FILL SPRAY 2584

Spray can pre-fill with suitable propellant and thinner for filling with paint.

- special aerosol head for paint application.

PROD. NR.	CONTENT	DESCRIPTION	BOX
2584	400 ml	PRE-FILL FOR SOLVENT BASED COATINGS	12





# PAINT MIXING SYSTEM S.MIX 84

## PAINT MIXING SYSTEM S.MIX 84

Compact mixing system based on pigments and different binders, distinguished by high covering power, quick drying, colour accuracy and is easy to use. With only 20 highly concentrated pigments, many of different binders could be combined.

Thus, most of the requirements of automotive, metal, wood and other industries could be fulfilled. Available formulations (more than 7000) cover all leading international colour standards as well as many industrial and public service colour references. Also a lot of the metallic colours can be made.

System is supported by a range of sophisticated colour support tools, like high quality extensive colour swatches, to user friendly software and a Spectrophotometer.

### Primers:

- 1K nitrocellulose 79.2.K1
- 2K epoxy primer 29.3.K1, mixing with hardener 2120 (vol. 3:1).

### Covering paints:

- 1K synthetic coating 72.1.K5
- 2K polyacril semimat coating 68.3.K2 (to be used with the hardeners 9230/9250/9270 or 9430/9450/9470)
- 2K polyacril glossy coating 67.1.K1 (to be used with the hardeners 9230/9250/9270 or 9430/9450/9470)
- 2K polyacrylic UHS coating 64.1.K2 (to be used with the hardener 9830/9850).
- 2K polyacrylic DTM (direct to metal) coating 62.1.K1 (to be used with the hardener 9230/9250/9270 or 9430/9450).

PROD. NR.	DESCRIPTION	PACKAGING
84.002	MATTING AGENT S.MIX 84	3,5 kg
84.005	NEUTRAL S.MIX 84	6 kg
84.028	BLACK S.MIX 84	3,5 kg
84.066	FINE ALUMINIUM S.MIX 84	3,5 kg
84.114	ECO ORANGE S.MIX 84	1 kg
84.119	FUCHSIA RED S.MIX 84	1 kg
84.120	DEEP BLACK S.MIX 84	3,5 kg
84.122	OXIDE RED S.MIX 84	1 kg
84.123	ORANGE S.MIX 84	1 kg
84.124	GREEN S.MIX 84	1 kg
84.125	OGRE YELLOW S.MIX 84	1 kg
84.126	BLUE S.MIX 84	1 kg
84.127	VIOLET S.MIX 84	1 kg
84.129	LIGHT RED S.MIX 84	1 kg
84.130	TITANIUM WHITE S.MIX 84	6 kg
84.132	SCARLET RED S.MIX 84	1 kg
84.133	AMARANTH VIOLET S.MIX 84	1 kg
84.134	BLUE FTALO S.MIX 84	1 kg
84.207	CHROME LEMON YELLOW S.MIX 84	1 kg
84.208	CHROME MEDIUM YELLOW S.MIX 84	1 kg
79.2.K1	BINDER S.MIX 84 1K NITRO PRIMER	20 kg
29.3.K1	BINDER S.MIX 84 2K EPOXY PRIMER	20 kg
72.1.K1	BINDER S.MIX 84 1K SYNTHETIC GLOSSY	20 kg
68.3.K2	BINDER S.MIX 84 2K POLYACRIL SEMIMAT	14 kg
67.1.K1	BINDER S.MIX 84 2K POLYACRIL GLOSSY	14 kg
64.1.K2	BINDER S.MIX 84 2K POLIACRYL UHS	14 kg
62.1.K1	BINDER S.MIX 84 2K POLIACRYL DTM	14 kg



# AEROSOLS

## POLYESTER SPRAY PUTTY 8585

One-component polyester spray putty to easily level small irregularities.

- high filling power
- easy to apply, excellent flow
- quick drying
- to be applied over bare metal, epoxy primer fillers or original paints.

PROD. NR.	CONTENT	BOX
8585	400 ml	12



**NEW**



## 1K PLASTIC PRIMER 4940

One component cleaner & adhesion promoter in aerosol for plastic substrates. Appropriate for most of the types of plastic being used in automotive industry like bumpers, trims etc.

- excellent adhesion
- slightly dyed for easier assessment of application
- quick drying.

PROD. NR.	CONTENT	COLOUR	BOX
4940	400 ml	TRANSPARENT	12



## ETCH PRIMER 4110

1K aerosol self etch primer delivers even application, good fill, excellent corrosion protection and fast dry times in a convenient and easy-to-spray aerosol.

- perfect adhesion to steel, zinc and aluminium surfaces
- to be used as a welding primer, rust protection primer or filler primer
- for sand-through areas, spot repair and parts refinishing.

PROD. NR.	CONTENT	COLOUR	BOX
4110	400 ml	GREY	12



## ZINC SPRAY 4020

Quick-drying, cathode protection against corrosion with excellent long-term effects for metals. Contains 99% pure zinc.

- protection of scratches and welding points
- corrosion protection of galvanized surfaces
- resistance to salt water
- conductive intermediate layers in spot welding
- especially suitable for vehicle bodywork.

PROD. NR.	CONTENT	COLOUR	BOX
4020	400 ml	ZINC	12



## 1K HQ SPRAY FILLER - PRIMER 1818

One component high fill, quick drying filler in aerosol for small repairs.

- suitable substrate for all kinds of topcoats
- resistant to antislipic degreaser
- high filling power
- easy to sand
- fast drying.

PROD. NR.	CONTENT	COLOUR	BOX
1818-A	400 ml	WHITE	12
1818-B	400 ml	BLACK	12
1818-C	400 ml	GREY	12



## CONTROL BLACK SPRAY 3550

High quality, acrylic black matt paint in aerosol to be used as control spray before filler sanding.

- good adhesion
- high covering power
- economic in use
- fast drying.

PROD. NR.	CONTENT	BOX
3550	500 ml	12



**NEW**



## BLACK MATT PAINT 9005

High quality acrylic black matt paint in aerosol for general use.

- good adhesion
- high covering power
- economic in use
- quick drying.

PROD. NR.	CONTENT	BOX
9005	400 ml	12



## WHITE MATT PAINT 9016

High quality acrylic white matt paint in aerosol for general use.

- good adhesion
- high covering power
- economic in use
- quick drying.

PROD. NR.	CONTENT	COLOUR	BOX
9016	400 ml	WHITE	12



**NEW**



## SILVER WHEEL PAINT 7007

High gloss silver paint for restoring the appearance of wheel rims and decorative wheel covers. Based on acrylic resin with high quality aluminium pigments.

- very good adhesion to a variety of substrates
- suitable for chromed, metal and plastic parts
- quick drying
- high covering power, economic in use.

PROD. NR.	CONTENT	BOX
7007	400 ml	12





## HIGH GLOSS CLEAR COAT 9004

High quality, high gloss clear coat in aerosol for spot repair in automotive painting. Suitable also for waterborne base coats. Special formulation enables high durability and anti-yellowing protection.

- quick drying
- brilliant gloss.

PROD. NR.	CONTENT	BOX
9004	400 ml	12



## THERMO PAINT 1072

Paint in aerosol designed to protect surfaces exposed to high temperatures (exhaust, engine parts etc.).

- excellent adhesion to different metal substrates
- temperature resistant up to 600°C
- anti-corrosion protection
- high covering power.

PROD. NR.	CONTENT	COLOUR	BOX
1072-A	400 ml	SILVER	12
1072-B	400 ml	BLACK	12



## PRE-FILL SPRAY 2584

Spray can pre-filled with suitable propellant and thinner for filling with paint.

- special aerosol head for paint application.

PROD. NR.	CONTENT	DESCRIPTION	BOX
2584	400 ml	PRE-FILL FOR SOLVENT BASED COATINGS	12



## SILICONE REMOVER SPRAY 9525

High quality, antislilconic degreaser for degreasing and cleaning of surfaces before painting.

Effective removal of residual grease, oil, wax, silicons, etc. Cleaning and degreasing of:

- bare steel, aluminium, zinc-coated steel
- plastic parts, primers, surfacers and fillers
- all kinds of existing coatings.

PROD. NR.	CONTENT	BOX
9525	400 ml	12



## FADE OUT SPRAY 6055

Especially formulated thinner for dissolving the overspray and to fade out the edge created during spot repairs or blending, to make fading and blending clearcoats easy.

- no more dry, patchy edges or visible repairs.

PROD. NR.	CONTENT	BOX
6055	400 ml	12



**NEW**



## UNDERBODY BITUMEN 3009

Bitumen based underbody protection.

- strong adhesion on raw or painted metal, plastic materials or old underbody protection  
- builds protective film against stone chips, salt, noise etc.  
- not overpaintable.

PROD. NR.	CONTENT	COLOUR	BOX
3009	500 ml, AEROSOL	BLACK	12



## STONE CHIP PROTECTION 2005

Quick drying, overpaintable underbody protection.

- strong adhesion on raw or painted metal, plastic materials or old underbody protection  
- elasticity, durability  
- builds protective film against stone chips, salt, noise etc.  
- regulation of structure with pressure and distance  
- quick drying.

PROD. NR.	CONTENT	COLOUR	BOX
2005-A	500 ml, AEROSOL	GREY	12
2005-B	500 ml, AEROSOL	BLACK	12



## CAVITY PROTECTION 3005

Protective coating based on special waxes. High melting-point prevents draining off at higher summer temperatures.

- strong adhesion and penetration into all vehicle cavities
- long-term protection from corrosion and noise.

PROD. NR.	CONTENT	COLOUR	BOX
3005	500 ml, AEROSOL	TRANSPARENT - WHITE	12



## RUBBER BLACK SPRAY 7003

Premium quality, solvent based product for cleaning, nourishing and protecting rubber surfaces, especially car tyres.

- quick drying, antistatic effect
- excellent gloss which lasts up to 14 days.

PROD. NR.	CONTENT	BOX
7003	400 ml	12



## COCKPIT POLISH 3003

Cockpit spray for cleaning, polishing and preserving the cockpit and for plastics surfaces, rubber... Based on quality ingredients.

- silicone free, leaves pleasant matt appearance
- cleaning, polishing and protecting
- antistatic effect, refreshes surface appearance
- pleasant orange scent.

PROD. NR.	CONTENT	BOX
3003	600 ml	12



## FOAMING CLEANER ULTRA+ 4004

Universal, active foam cleaner quickly and effectively removes stains on all kinds of surfaces.

- active foam with pleasant scent
- quick and active functioning
- for all kinds of surfaces (glass, textile etc.).

PROD. NR.	CONTENT	BOX
4004	500 ml	12





# POLISHING

## RUBBING COMPOUND & POLISHING PASTE ULTIMATE P15 - P30 3015 - 3033

Advanced professional polishes based on nano technology 2in1, which enables coarser material removal at the beginning and finer at the end of the process (P15, P20 and P22) or swirl marks and hologram removal (P30).

- silicone free
- abrasive material: AlO
- machine or manual use
- optimal proportion between resin and abrasive powder reduces dust building
- polishing of fresh coatings
- suitable for the newest scratch resistant clear coats (P20, P22 and P30)
- compounding of worn-out OEM coatings (P15, 20 and 22)
- deep haze and hologram free gloss (P30).





























Powered by  
**Quality**

PROD. NR.	DESCRIPTION	COLOR	CONTENT	PAD	BOX
3015	RUBBING COMPOUND ULTIMATE P15	WHITE	1,3 kg	WHITE	12
3020	ONE-STEP SR COMPOUND ULTIMATE P20	ORANGE	1 kg	ORANGE	12
3022	ONE-STEP COMPOUND ULTIMATE P22	PURPLE	1 kg	PURPLE	12
3033	FINAL POLISH ULTIMATE P30	GREEN	1 kg	GREEN	12



For more products and information see: [www.silco-automotive.com!](http://www.silco-automotive.com!)



PRODUCT		FRESH COATING			OLD COATING		SPONGE											
	<b>3015 Rubbing Compound Ultimate P15</b> Scratch removal: P1000	Orange Peel	Dust particles	Paint Runners	Extremely worn-out coating	Oxidized and matted coating	White - coarse Lambskin - coarse											
	<table><tr><td>CUT</td><td></td><td></td><td></td><td></td><td>5,0</td></tr><tr><td>GLOSS</td><td>1,5</td><td></td><td></td><td></td><td></td></tr></table>	CUT					5,0	GLOSS	1,5									
CUT					5,0													
GLOSS	1,5																	
	<b>3020 One-Step SR Compound Ultimate P20</b> , Scratch removal: P2000	Orange Peel	Dust particles	Paint Runners	Worn-out coating	Oxidized and matted coating	Orange - medium											
	<table><tr><td>CUT</td><td></td><td></td><td></td><td>4,0</td><td></td></tr><tr><td>GLOSS</td><td></td><td></td><td></td><td>4,0</td><td></td></tr></table>	CUT				4,0		GLOSS				4,0						
CUT				4,0														
GLOSS				4,0														
	<b>3022 One-Step Compound Ultimate P22</b> , Scratch removal: P2000	Orange Peel	Dust particles	Paint Runners	Worn-out coating	Oxidized and matted coating	Purple - medium											
	<table><tr><td>CUT</td><td></td><td></td><td></td><td>4,5</td><td></td></tr><tr><td>GLOSS</td><td></td><td></td><td></td><td>4,5</td><td></td></tr></table>	CUT				4,5		GLOSS				4,5						
CUT				4,5														
GLOSS				4,5														
	<b>3033 Final Polish Ultimate P30</b> Scratch removal: P3000	Hologrames	Swirls		Hologrames	Swirls	Green - fine											
	<table><tr><td>CUT</td><td></td><td>2,0</td><td></td><td></td><td></td></tr><tr><td>GLOSS</td><td></td><td></td><td></td><td></td><td>5,0</td></tr></table>	CUT		2,0				GLOSS					5,0					
CUT		2,0																
GLOSS					5,0													
	<b>3050 Spray Wax Ultimate P50</b>	Coating Protection	Gloss Improval		Coating Protection	Gloss Improval												
	<table><tr><td>CUT</td><td>0</td><td></td><td></td><td></td><td></td></tr><tr><td>GLOSS</td><td></td><td></td><td></td><td></td><td>5,0</td></tr></table>	CUT	0					GLOSS					5,0					
CUT	0																	
GLOSS					5,0													

## SPRAY WAX ULTIMATE P50 3050

Long-term protection based on valuable carnauba wax.

- silicone free
- easy machine or manual application
- wet look, deep gloss.

PROD. NR.	CONTENT	COLOUR	BOX
3050	500 ml	TRANSPARENT	12



NEW




## POLISHING FOAMS AND SPONGES 3115 - 3250

Premium quality polishing sponges of different structures and hardnesses for all types of surface treatment from rubbing and polishing to final sealing. Suitable for automotive, nautical and other industries.

- very firm and durable material, velcro backing.

PROD. NR.	DESCRIPTION	COLOR	DIAMETER X THICKNESS	PACKAGING
3115	SPONGE, COARSE, RIGID	WHITE	145 mm x 25 mm	1
3120	SPONGE, MEDIUM	ORANGE/BLACK	135 mm x 25 mm	1
3122	SPONGE, MEDIUM	PURPLE	145 mm x 25 mm	1
3130	SPONGE, FINE, SOFT	GREEN	145 mm x 25 mm	1
3250	LAMBSKIN	WHITE	150 mm x 32 mm	1



## FINISH INSPECTION 3080

Finish Inspection removes grease and dust and allows an objective assessment of surface quality after polishing.

- silicone free
- water based.

PROD. NR.	CONTENT	COLOUR	BOX
3080	500 ml	TRANSPARENT	12



## POLISHING PAD 3125

High quality polishing pads with backplate made from impact resistant synthetic nylon, which is bonded to microcellular polyurethane with excellent resistance to tearing, oil and ageing.

- M14 thread
- velcro fastening.

PROD. NR.	DIAMETER	BOX
3125	125 mm	1



## SANDING DISC FINISH 2060 - 2070

Special sanding disc for removal of small imperfections in the final coating, paint runners or dust particles. Particular "wave" shape in combination with self adhesive attachment of the disc enables effective work without leaving any scratches on the surface.

- sanding material: silizium carbide
- to be used wet or dry
- to be used manually or by a sanding machine
- diameter: 32 mm.

PROD. NR.	DESCRIPTION	BOX
2060-2000	SELF ADHESIVE, P 2000	100
2060-2500	SELF ADHESIVE, P 2500	100
2060-3000	SELF ADHESIVE, P 3000	100
2070-2000	VELCRO, P 1500	100
2070-2500	VELCRO, P 2000	100
2070-3000	VELCRO, P 2500	100
2065	FINISH SANDING BLOCK	1



## S.CLAY CLEANING CLAY 3025

Special clay mastic for deep cleaning and removal of irregularities in lacquered surfaces.

Does not harm painted surface.

PROD. NR.	DESCRIPTION	BOX
3025	<b>2 x 100 g</b>	<b>1</b>



## PAINT BLADE 3035

Easy removal of imperfections after painting, like dust nibs and paint runers.

- does not harm painted surface
- velcro fastening at the back of the holder to be used with mini sanding discs.

PROD. NR.	DESCRIPTION	BOX
3035	<b>PAINT BLADE HOLDER</b>	<b>1</b>
3037	<b>REPLACEMENT BLADE</b>	<b>1</b>



**NEW**



## MICROFIBRE TOWEL SUPERSOFT 1063

High performance, high-tech cloth, with millions of ultra fine fibers, provides exceptional power to clean dust and shine in your vehicle.

- washable up to 90°C
- large surface enables vast absorption
- to be used dry or with cleaning agents
- very soft – suitable also for the most sensitive surfaces
- different colours.

PROD. NR.	DESCRIPTION	BOX
1063-3	<b>30 x 40 cm, 3 pcs</b>	<b>1</b>



## POLISHING CLOTH ULTRASOFT 2555

Lint-free, very soft polishing cloth for polishing fresh or old coatings.

- extremely soft and absorbent
- supplied in a practical box.

PROD. NR.	DESCRIPTION	BOX
2555	<b>40 x 30 cm, 300 pcs</b>	<b>1</b>



# BODYWORK PROTECTION

## UNDERBODY BITUMEN 3001 - 3009

Bitumen based underbody protection.

- strong adhesion on raw or painted metal, plastic materials or old underbody protection
- builds protective film against stone chips, salt, noise etc.
- not overpaintable.

PROD. NR.	CONTENT	COLOUR	BOX
3001	1 L	BLACK	12
3009	500 ml, AEROSOL	BLACK	12



## STONE CHIP PROTECTION 2005 - 2010

Quick drying, overpaintable underbody protection.

- strong adhesion on raw or painted metal, plastic materials or old underbody protection
- elasticity, durability
- builds protective film against stone chips, salt, noise etc.
- regulation of structure with pressure and distance
- quick drying.

PROD. NR.	CONTENT	COLOUR	BOX
2005-A	500 ml, AEROSOL	GREY	12
2005-B	500 ml, AEROSOL	BLACK	12
2010-A	1 L	GREY	12
2010-B	1 L	BLACK	12



## CAVITY PROTECTION 3005 - 3010

Protective coating based on special waxes. High melting-point prevents draining off at higher summer temperatures.

- strong adhesion and penetration into all vehicle cavities
- long-term protection from corrosion and noise.

PROD. NR.	CONTENT	COLOUR	BOX
3005	500 ml, AEROSOL	TRANSPARENT	12
3010	1 L	TRANSPARENT	12





## SOUND DEADENING PLATES 3718

Flexible, sound-deadening, antivibration, overpaintable plates. Useful for protection of floors, doors, package and engine compartment.

- self adhesive, easy to cut and shape
- very elastic.

PROD. NR.	DIMENSIONS	BOX
3718	50 cm x 50 cm x 2 mm	10



## WAX APPLICATION GUN 2006

Professional application gun for stone chip protection, underbody bitumen or cavity waxes.

- body of nickel-plated aluminium
- 900 mm probe for wax dosing
- regulation of spray pattern and structure.

PROD. NR.	DESCRIPTION	BOX
2006	APPLICATION GUN WITH SPRAY REGULATION	1
2007	APPLICATION GUN	1




## APPLICATION GUN 2008

Professional application gun for stone chip protection, underbody bitumen or cavity waxes.

An ingenious solution when working with various fluids of different viscosities and colours as the suction pipes are equipped with airtight couplings

- fluids can thus be changed without drying out.

PROD. NR.	DESCRIPTION	BOX
2008	SET WITH 1 SUCTION PIPE & EXTENSION PROBE FOR WAX	1
2009	REPLACEMENT SUCTION PIPE	1



# SEALING & BONDING

## MSP SEALING AND BONDING MASTIC »ALL IN ONE« 1005

One-component, permanently elastic sealing and bonding mastic based on the newest generation of high-quality hybrid polymers.

- three different applications: bonding, spraying, brush application
- excellent reproduction of all original structures
- strong adhesion on almost every surface (steel, galvanized steel, alu, plastic etc.) without any primer
- fast curing under the influence of air humidity
- silicone, isocyanat, solvents free
- UV resistant, overpaintable wet-on-wet.

PROD. NR.	CONTENT	COLOUR	BOX
1005-A	290 ml	GREY	12
1005-B	290 ml	BLACK	12



## PU SEALING AND BONDING MASTIC 1003

One-component, overpaintable, permanently elastic sealing and bonding polyurethane mastic.

- strong adhesion on most of constructional materials (steel, galvanized steel, alu, wood, ceramics, plastic etc.)
- resistant to atmospheric influences and temperature
- strong and elastic bonding
- quick drying
- overpaintable with almost any paint.

PROD. NR.	CONTENT	COLOUR	BOX
1003-A	310 ml	GREY	12
1003-B	310 ml	BLACK	12
1003-C	310 ml	WHITE	12



## BRUSHABLE SEAM SEALER 1210

1K brushable seam sealer. After curing builds a strong elastic layer with excellent sealing performances.

- overpaintable (with solvent and water based paints)
- resistant to water, oil, gasoline etc.
- quick drying.

PROD. NR.	DESCRIPTION	COLOUR	BOX
1210	1 kg	GREY	12
5003	NYLON BRUSH	-	1



## DOUBLE SIDED HD MOUNTING TAPE 3106 - 3112

Double-sided heavy duty acrylic mounting tape. Special acrylate adhesive activates when exposed to pressure.

- strong permanent adhesion and resistance to vibrations
- resistant to gasoline, oils, UV, weather etc.

PROD. NR.	DIMENSIONS	BOX
3106	6 mm x 33 m	1
3112	12 mm x 33 m	1



## S.GLUE CA ADHESIVE 1111

Low viscosity cyanoacrylate adhesive particularly designed for use in car body repair.

- instant adhesion under influence of air moisture
- high-strength bonding
- solvent free.

PROD. NR.	CONTENT	COLOUR	BOX
1111	20 g	TRANSPARENT	1



## S.GLUE BLACK CA ADHESIVE 1211

High viscosity black cyanoacrylate adhesive for bonding of rubber and plastic parts.

- instant adhesion under influence of air moisture
- high-strength bonding
- solvent free.

PROD. NR.	CONTENT	COLOUR	BOX
1211	20 g	BLACK	1



## ACTIVATOR FOR CA ADHESIVES 1643

Activator for even faster curing of CA adhesives. Principally for use with high viscosity adhesives.

- also cleans the surface
- economic in use.

PROD. NR.	CONTENT	BOX
1643	200 ml	12



## PNEUMATIC GUN PROFI 9520

Universal pneumatic system for application of sealants and adhesives in cartridges or sausages.

- spraying or seam application
- telescopic piston prevents air intake into material
- regulation of spraying pressure and application quantity
- enclosed adapters for cartridges and sausages.

PROD. NR.	DESCRIPTION	BOX
9520	GUN WITH ACCESSORIES	1




## 2K PU ADHESIVE 5050

A unique polyurethane adhesive repair-material for plastic components. For structural or cosmetic repair of plastic-bumpers, fenders, spoilers, lamp-housings, radiators etc. in the automotive and other industries, where quick cure time on almost any type of plastic material is needed.

- curing time 1-2 min
- further working (sanding, thread cutting etc.) after 10-30 min
- overpaintable after 60 min
- resistant to oils, solvents, acids etc.
- solvent free.

PROD. NR.	DESCRIPTION	BOX
5050	PU ADHESIVE, 50 ml	2
4942	MIXING TIPS, 12 pcs	1
4905	APPLICATION GUN	1



## MANUAL CARTRIDGE GUN SPECIAL 2860

Quality manual gun for application of sealants and adhesives in cartridges or sausages. Special mechanism ensures even outflow of material.

PROD. NR.	DESCRIPTION	BOX
9520	GUN WITH ACCESSORIES	1





# WINDSHIELD REPLACEMENT

## WINDSHIELD ADHESIVE FAST 30 HMLC 4515 - 4520

Top quality, ultra high modulus, low conductivity, fast-curing polyurethane adhesive for the bonding of vehicle glass - direct glazing. It is specifically designed to give a fast and safe drive-away time on vehicles fitted with airbags. Fast 30 has been crash-tested to the most rigorous US safety standards FMVSS 208/212.

- cold application, good stability / workability - non-sagging
- capable of withstanding high dynamic mechanical stress
- resistant to ageing and weathering
- no need for black primer (only Activator 5090)
- prevents contact corrosion in aluminium-body vehicles
- suitable to use with integral aerals
- open time: 15-20 min
- drive away time: 60 min (23°C and 50% relative humidity).

PROD. NR.	CONTENT	DESCRIPTION	BOX
4515	310 ml	CARTRIDGE	12
4520	400 ml	ALU SAUSAGE	12



Powered by  
**Quality**



**WINDSHIELD ADHESIVE FAST 45 MMLC 4545**

High quality, one-component, fast-curing, flexible and high performance polyurethane adhesive for the bonding of vehicle glass - direct glazing. It is specifically designed to give a fast and safe drive-away time on vehicles fitted with airbags. Fast 30 has been crash-tested to the most rigorous US safety standards FMVSS 208/212.- suitable for bigger size windshields (prolonged application time)

- cold application, - good stability / workability - non sagging
- capable of withstanding high dynamic mechanical stress
- resistant to ageing and weathering
- no need for black primer (only Activator 5090)
- prevents contact corrosion in aluminium-body vehicles
- suitable for use with integral aerials
- open time: 30-35 min
- drive away time: 3 hours (23°C and 50% relative humidity).

PROD. NR.	CONTENT	DESCRIPTION	BOX
4545	310 ml	CARTRIDGE	12

**SCHEIBENKLEBER FAST 45 MMLC****CLEANER – ACTIVATOR 5090**

Surface Cleaner/Activator. It is used to clean and at the same time to prepare the substrate (painted surface, ceramic coating on windshield) for the next step, by leaving a residual film on the glass surface where the Silco Fast 30 / Fast 60 will be applied.

PROD. NR.	CONTENT	COLOUR	BOX
5090-0,250	250 ml	TRANSPARENT	12
5090-0,030	30 ml	TRANSPARENT	12

**BLACK PRIMER 5082**

Primer that promotes the adhesion of the Silco PU windscreen adhesives and sealants to glass, gives added protection by creating a total barrier against UV and is ideal as a base layer on windshields, for the first assembly and repairs in the automotive industry.

PROD. NR.	CONTENT	COLOUR	BOX
5082-0,250	250 ml	BLACK	12
5082-0,030	30 ml	BLACK	12



## APPLICATOR BRUSH 5701

Applicator brush for applying Activator or Black Primer.

PROD. NR.	DESCRIPTION	BOX
5701	APPLICATOR BRUSH, 12 pcs	1



## WINDSHIELD ADHESIVE FAST MS 4530

One-component MS-polymer based high-tech windshield adhesive.

- quick drying
- primerless
- isocyanate free
- resistant to UV and ageing
- suitable to use with integral aerials
- open time: 15 min
- drive away time: 2 hours (23°C and 50% relative humidity).

PROD. NR.	CONTENT	DESCRIPTION	BOX
4530	290 ml	CARTRIDGE	12



## HANDLES FOR CUT-OUT WIRE 5025

Kit of high quality wire gripping handles for use with cut-out wire.

PROD. NR.	DESCRIPTION	BOX
5025	HANDLES	1



## CUT-OUT WIRE 5020

Braided cut-out wire. Composed of three super-strong stainless steel wires braided to form one wire. Anodized to a smooth finish and a distinctive gold color. Diameter: 0,8 mm.

PROD. NR.	DESCRIPTION	BOX
5020	BRAIDED WIRE, 22 m	1



## CUT-OUT WIRE 5040

Square cut-out wire. As the square wire's flat side is drawn against the urethane, it tilts and begins cutting with the V-corner of the wire. This gives it a cutting ability that is superior to any wire in the world. Made of high tensile strength stainless steel. Thickness: 0,6 mm.

PROD. NR.	DESCRIPTION	BOX
5040	SQUARE WIRE, 22 m	1



## PINCHWELD PREPARATION TOOL 5015

Lightweight aluminum shaft with a quick-change collet. Heavy duty plastic handle with an innovative flip-top handle that stores extra blades. Thin, surgically sharp blades.

PROD. NR.	DESCRIPTION	BOX
5015	TOOL WITH 5 BLADES	1
5016	5 REPLACEMENT BLADES, 20 mm	1
5017	5 REPLACEMENT BLADES, 13 mm	1





## WIDE PINCHWELD PREPARATION TOOL 5065

Thin, surgically sharp wide blade for removal of adhesive from the windshield. Does not damage ceramic coating or glass.

PROD. NR.	DESCRIPTION	BOX
5065	PINCHWELD PREPARATION TOOL	1
5066	10 REPLACEMENT BLADES	1



## DOUBLE SUCTION PADS 2340

2 quality double suction pads and 1 nylon belt with jack.

PROD. NR.	DESCRIPTION	BOX
2340	2 SUCTION PADS + BELT	1



## PNEUMATIC GUN PROFI 9520

Universal pneumatic system for application of sealants and adhesives in cartridges or sausages.

- spraying or seam application
- telescopic piston prevents air intake into material
- regulation of spraying pressure and application quantity
- enclosed adapters for cartridges and sausages.

PROD. NR.	DESCRIPTION	BOX
9520	GUN WITH ACCESSORIES	1



## MANUAL CARTRIDGE GUN SPECIAL 2860

Quality manual gun for application of sealants and adhesives in cartridges or sausages. Special mechanism ensures even outflow of material.

PROD. NR.	DESCRIPTION	BOX
9520	GUN WITH ACCESSORIES	1



# PREPARATION AND CLEANING

## SILICONE REMOVER SPRAY 9525

High quality, antisolonic degreaser for degreasing and cleaning of surfaces before painting.

Effective removal of residual grease, oil, wax, silicones, etc. Cleaning and degreasing of:

- bare steel, aluminium, zinc-coated steel
- plastic parts, primers, surfacers and fillers
- all kinds of existing coatings.

PROD. NR.	CONTENT	BOX
9525	400 ml	12



NEW



## SILICONE REMOVER 9515

High quality, antisolonic degreaser for degreasing and cleaning of surfaces before painting.

Effective removal of residual grease, oil, wax, silicones, etc. Cleaning and degreasing of:

- bare steel, aluminium, zinc-coated steel
- plastic parts, primers, surfacers and fillers
- all kinds of existing coatings.

PROD. NR.	CONTENT	BOX
9515-1	1 L	12
9515-5	5 L	3



## WB SILICONE REMOVER 8515

High quality, antisolonic degreaser for degreasing and cleaning of surfaces before painting with waterborne paints. Effective removal of residual grease, oil, wax, silicones, etc. Cleaning and degreasing of:

- bare steel, aluminium, zinc-coated steel
- plastic parts, primers, surfacers and fillers
- all kinds of existing coatings
- not to be used as a gun cleaner.

PROD. NR.	CONTENT	BOX
8515	5 L	1



NEW



## SPRAYER ANTISIL 5203

Professional sprayer with PP pump, for applying of antislipic degreaser.

Usable volume: 1 L, operating pressure: 3 bar.

- seals: Viton.

PROD. NR.	DESCRIPTION	BOX
5203	<b>SPRAYER 1,0 L</b>	<b>1</b>



**NEW**



## NITRO THINNER 5555

High quality anti bleaching nitrocellulose thinner for use in car refinishing. Suitable for diluting of nitrocellulose coatings and as a cleaning agent.

- improves elasticity and gloss of paint
- does not contain recycled solvents
- special additives prevent bleaching
- high quality, pure raw materials
- VOC compliant.

PROD. NR.	CONTENT	BOX
9525-1	<b>1 L</b>	<b>20</b>
9525-5	<b>5 L</b>	<b>4</b>
9525-25	<b>25 L</b>	<b>1</b>



## CLEANING PAPER TOWELS SOFT 3 3030

3-ply lint-free soft paper towels for cleaning and degreasing of cars, tools and body parts.

- suitable for degreasing before painting
- 100% cellulose, excellent absorption
- extra strong, lint-free
- resistant to solvents
- 26 cm x 195 m.

PROD. NR.	DESCRIPTION	BOX
3030	<b>3-PLY PAPER 3,2 kg</b>	<b>2</b>
3913	<b>WALL HOLDER</b>	<b>1</b>



**CLEANING PAPER TOWELS 2020**

2-ply soft paper towels for general use in cleaning.

- good absorption
- extra strong
- resistant to solvents
- 26,5 cm x 231 m.


PROD. NR.	DESCRIPTION	BOX
2020	2-PLY PAPER	2

**CLEANING TOWEL BLUETEX 2531 - 2532**

Highly absorbent solvent resistant cleaning cloth, particularly designed for antislipic degreasers.

- high absorption
- resistant to solvents not water-resistant.

PROD. NR.	DESCRIPTION	BOX
2531	BOX, 35 SHEETS OF 40 x 42 cm	1
2532	ROLL, 420 SHEETS OF 32 x 38 cm	1

**CLEANING TOWEL TNT WB 2205**

Towel made of special non-woven material intended for use with antislipic degreaser.

- high absorption
- resistant to solvents, lynt-free
- very soft.

PROD. NR.	DIMENSIONS	BOX
2205	40 x 50 cm, 250 pcs	1





## TACK RAG ULTRA 2204

Universal, resinous tack rag with excellent dust absorbant abilities. It is made of abrasion-proof small meshed spun rayon gauze; it causes no residues, if used properly. Easy to unfold.

- soft structure and high dust absorption power
- leaves no residues.

PROD. NR.	DIMENSIONS	BOX
2204	8 cm x 5 cm	1



## TACK RAG WAVE 2206

Universal, resinous wave shaped tack rag with excellent dust absorbant abilities. It is made of abrasion-proof small meshed spun rayon gauze; it causes no residues, if used properly. Easy to unfold.

- soft structure and high dust absorption power
- leaves no residues.

PROD. NR.	DESCRIPTION	BOX
2206	TACK RAG WAVE	1



## TACK RAG WB 2210

Universal, applicable, resinous wave shaped tack rag with excellent dust absorption abilities.

It is made of abrasion-proof small meshed spun rayon gauze; it causes no residues, if used properly. Easy to unfold.

- soft structure and high dust absorption power
- leaves no residues.

PROD. NR.	DESCRIPTION	BOX
2210	TACK RAG WB, 25 pcs	1



# ANCILLARIES AND SUPPLEMENT MATERIALS

## ACRYLIC THINNER 6001

High quality thinner for diluting of acrylic and polyurethane coatings in car refinishing. Also suitable for solvent based basecoat.

- does not contain recycled solvents
- high quality and extremely pure raw materials.

Formulation of thinner contains particular valuable solvents which considerably improve the flow and gloss of the direct gloss paint or clear coat.

PROD. NR.	CONTENT	BOX
6001-1	1 L	20
6001-5	5 L	4



## FADE OUT SPRAY 6055

Specially formulated thinner for dissolving the overspray and to fade out the edge created during spot repairs or blending, to make fading and blending clearcoats easy.

- no more dry, patchy edges or visible repairs.

PROD. NR.	CONTENT	BOX
6055	400 ml	12



## FADE OUT THINNER 6050

Specially formulated thinner for dissolving the overspray and to fade out the edge created during spot repairs or blending, to make fading and blending clearcoats easy.

- no more dry, patchy edges or visible repairs.

PROD. NR.	CONTENT	BOX
6050-1	1 L	12
6050-5	5 L	3



## ACCELERATOR 2K 3130

Universal accelerator for 2K poliurethanic or acrylic car refinishing materials.

- to admix: 1-3% (10-30 ml/1 L).

PROD. NR.	CONTENT	BOX
3130	500 ml	12



## PAINT MIXING CUPS 1846 - 1851

Graduated mixing cups made of high quality flexible plastic.

- different mixing ratios
- stable construction.

PROD. NR.	DESCRIPTION	BOX
1846	MIXING CUP 385 ml	200
1846-P	LID 385 ml	200
1848	MIXING CUP 750 ml	200
1848-P	LID 750 ml	200
1850	MIXING CUP 1.400 ml	200
1850-P	LID 1.400 ml	200
1851	MIXING CUP 2.300 ml	100
1851-P	LID 2.300 ml	200



## STIRRING STICKS 2403 - 2405

PROD. NR.	DESCRIPTION	BOX
2403	PLASTIC STIRRING STICK	1
2404	GRADUATED MIXING STICK 5:1 / 2:1	1
2405	GRADUATED MIXING STICK 4:1 / 3:1	1



## METAL PAINT CANS

Metal paint cans.

PROD. NR.	VOLUME	BOX
7051	0,25 L	-
7052	0,5 L	-
7053	1 L	-
7054	3 L	-
7055	5 L	-



## TOUCH UP BOTTLE 3366 - 3368

Touch-up bottle with brush and mixing ball.  
- solvent resistant.

PROD. NR.	DESCRIPTION	BOX
3366	50 pcs, VOLUME 25 ml	1
3368	60 pcs, VOLUME 50 ml	1



## DUST NEEDLE 3330

Dust needle for removal of dust particulates on wet paint.

PROD. NR.	DESCRIPTION	BOX
3330-10	1 SET	10





## PAINT STRAINERS 4201 - 4202

Top quality disposable paint strainer with woven nylon mesh.

- very fast through-flow
- accurate straining
- suitable for both solvent or water based paints.

PROD. NR.	DESCRIPTION	BOX
4201	125 $\mu$	1000
4202	190 $\mu$	1000




## GRAVITY CUP FILTERS 3372

Gravity spray-gun filter with nylon net.

PROD. NR.	DESCRIPTION	BOX
3372	GRAVITY CUP FILTERS, 10 pcs	1



NEW



## TESTCOLOR CARDS 2401

Pre-primed metal cards for testing accuracy and covering power.

Dimensions: 10,5 x 15 cm.

PROD. NR.	DESCRIPTION	BOX
2401	TESTCOLOR CARD, 25 pcs	1



## SET OF REMOVING/INSTALLATION TOOLS 4460

5 specially shaped sticks for prying, smoothing, spreading and removing. Made of tough, flexible, polycarbonate material.

PROD. NR.	DESCRIPTION	BOX
4460	SET OF TOOLS	1



## ANTIDUST 2080

Clear, anti-dust, waterbased surface coating for spraying cabins and lights.

- attracts dust and paint overspray
- resistant up to 85°C
- does not affect light spectrum
- removable with water.

PROD. NR.	CONTENT	BOX
2080	5 L	4



## PAINT FILTER 2050 - 2200

Paint mist separator for spray booths according to EN 779. Low compressibility of the filter prevents compression in a pressurized state - this way the whole depth of the filter remains available for collecting the paint mist.

- temperature resistant up to max. 180°C
- contains no silicone or other lacquer harming substance
- fire prevention requirements according to DIN 53438
- lacquer separation arrestance: 95%
- colour: green
- thickness: 3", approx. 75 mm.



PROD. NR.	DESCRIPTION		
2050-20	PAINT FILTER 3", 0,50 m x 20 m	2100-20	PAINT FILTER 3", 1,00 m x 20 m
2076-20	PAINT FILTER 3", 0,76 m x 20 m	2100-25	PAINT FILTER 3", 1,00 m x 25 m
2076-91	PAINT FILTER 3", 0,76 m x 91 m	2125-25	PAINT FILTER 3", 1,25 m x 25 m
		2200-20	PAINT FILTER 3", 2,00 m x 20 m

# PERSONAL PROTECTION & HAND CLEANING

## PAINT SPRAY RESPIRATOR 9300

Comfortable high quality paint spray respirator. Class FFA2 P2SL. Gives protection against paint, paint mists, organic vapours and dust.

Approval CE 0120 / EN 140.

PROD. NR.	DESCRIPTION	BOX
9300-M	<b>MASK, SIZE M</b>	1
9300-L	<b>MASK, SIZE L</b>	1
9305	<b>COALFILTER, PAIR</b>	1
9306	<b>PREFILTERS, 10 pcs</b>	1



## SMART MASK RESPIRATOR 7300

Comfortable respirator FFP1 with exhalation valve. Suitable for fine P1 dust.

- class FFP1
- compliant with EN 149:2001, CE 0194.

PROD. NR.	DESCRIPTION	BOX
7300	<b>MASK</b>	10



## PROTECTIVE GLOVES PREP HAND 7800

Professional high quality glove, quality checked and certified. Resistance properties to mechanical injuries.

- comfortable, elastic glove
- optimal grip and sense due rubber coated surface.
- conforms to EN 420, EN 388 standards
- lenght: 280 mm.

PROD. NR.	DESCRIPTION	BOX
7800-L	<b>SIZE L, 1 PAIR</b>	1
7800-XL	<b>SIZE XL, 1 PAIR</b>	1
7800-XXL	<b>SIZE XXL, 1 PAIR</b>	1



## PROTECTIVE GLOVES LATEX PRO 6800

Professional glove with high thickness, without lubricating powder, texturized, with increased thickness and length, quality checked and certified. Resistance properties stronger than usual examination single use glove.

- multi usage
- conforms to EN 455 1-2-3 standards
- length: 280 mm.

PROD. NR.	DESCRIPTION	BOX
6800-L	<b>SIZE L, 50 pcs</b>	<b>1</b>
6800-XL	<b>SIZE XL, 50 pcs</b>	<b>1</b>



## PROTECTIVE GLOVES LATEX NITRILE BLUE 5800

Professional single use glove with with lubricating powder, quality checked and certified.

- resistant to detergents and solvents
- optimal elasticity and comfort
- conform to EN 240 ASTM D3578
- length: 240 mm.

PROD. NR.	DESCRIPTION	BOX
5800-L	<b>SIZE L, 100 pcs</b>	<b>1</b>
5800-XL	<b>SIZE XL, 100 pcs</b>	<b>1</b>



## HAND CLEANER GEL ORANGE ACTION 1465

Dermohand cleaner gel for removing the toughest dirt. Completely removes varnish, putty, silicone, enamel and other similar products from the hands. It is not aggressive thanks to the wheat germ proteins and plant based detergents.

- helps to reduce the symptoms of dry, cracked skin
- skin friendly cleaning, contains premium skin conditioners
- pleasant orange scent
- pH neutral.

PROD. NR.	DESCRIPTION	BOX
1465-5	<b>5 L CAN WITH DISPENSER</b>	<b>4</b>
9917	<b>WALL HOLDER</b>	<b>1</b>



## HAND CLEANER PASTE+ 1435

Dermohand solvent free cleaner gel. Very rich in plant-based detergents with wheat germ substances and proteins. Suitable for all industrial sectors, especially for car mechanics.

- helps to reduce the symptoms of dry, cracked skin
- contains micro grains
- pH neutral.

PROD. NR.	DESCRIPTION	BOX
1435-3	<b>3 L CAN</b>	<b>6</b>
1435-10	<b>10 L REFILL</b>	<b>1</b>

1436	<b>WALL HOLDER</b>	<b>1</b>
1437	<b>METAL PUMP</b>	<b>1</b>





## HAND CLEANER EASY PASTE 1445

Hand cleaner abrasive paste able to remove thick and strong industrial dirt thanks to its unique combination of detergents and natural soaps.

- contains no sand
- pH slightly alkaline.

PROD. NR.	DESCRIPTION	BOX
1445	5 L BUCKET	4



## NYLON PAINT OVERAL 2310

High quality, polyester overall, ventilated. Made of 100% polyester of 70 gr/m<sup>2</sup>. It is very comfortable thanks to the several covered ventilation openings. With elastic in the waist and in the hood, breast pocket and 2 back pockets.

- protected zipper
- antistatic
- lint-free.

PROD. NR.	DESCRIPTION	BOX
2310-L	OVERALL, SIZE L	1
2310-XL	OVERALL, SIZE XL	1
2310-XXL	OVERALL, SIZE XXL	1



## PAINT OVERALL PROMASTER 2309

High quality overall with ventilated areas in the back, the neck and the back of the legs. Made of a new revolutionary non-woven fabric which is soft and breathable, antistatic, and resistant to noxious dust and splash in accordance with CE Cat. III Type 5 & 6. With hood and zipper, a separate self-adhesive pocket is included.

- protected zipper
- antistatic material
- lint-free
- sleeves with elastic band.

PROD. NR.	DESCRIPTION	BOX
2309-L	OVERALL, SIZE L	1
2309-XL	OVERALL, SIZE XL	1
2309-XXL	OVERALL, SIZE XXL	1



**WIND JACKET SILCO 2234**

High quality jacket made of breathable material that keeps you warm and protects you against wind.

- comfortable cut
- available sizes: L, XL, XXL.

PROD. NR.	DESCRIPTION	BOX
2234-L	<b>WIND JACKET, SIZE L</b>	1
2234-XL	<b>WIND JACKET, SIZE XL</b>	1
2234-XXL	<b>WIND JACKET, SIZE XXL</b>	1

**T-SHIRT SILCO 2321**

High quality shirt, made of 100% cotton.

- available sizes: S, M, L, XL, XXL.

PROD. NR.	DESCRIPTION	BOX
2321-S	<b>T-SHIRT, SIZE S</b>	1
2321-M	<b>T-SHIRT, SIZE M</b>	1
2321-L	<b>T-SHIRT, SIZE L</b>	1
2321-XL	<b>T-SHIRT, SIZE XL</b>	1
2321-XXL	<b>T-SHIRT, SIZE XXL</b>	1

**WORKING OVERALL-TROUSERS 2312 - 2314**

High quality, durable working overall/trousers.

- comfortable cut
- reinforced knee area
- pockets with closures, protected zipper
- made of 100% cotton.

PROD. NR.	DESCRIPTION	BOX
2312-L	<b>OVERALL, SIZE L</b>	1
2312-XL	<b>OVERALL, SIZE XL</b>	1
2312-XXL	<b>OVERALL, SIZE XXL</b>	1

PROD. NR.	DESCRIPTION	BOX
2314-L	<b>TROUSERS, SIZE L</b>	1
2314-XL	<b>TROUSERS, SIZE XL</b>	1
2314-XXL	<b>TROUSERS, SIZE XXL</b>	1



# EQUIPMENT

## X-STAND 7703

A heavy-duty stand for windshields with foam around the tubing.  
- adjustable working height.

PROD. NR.	DESCRIPTION	BOX
7703	<b>X-STAND</b>	<b>1</b>



## SPRAY STAND MULTI 7705

High quality mobile turnable stand for painting of diverse car body parts.  
- big wheels  
- stable construction  
- single hand operation.

PROD. NR.	DESCRIPTION	BOX
7705	<b>STAND</b>	<b>1</b>



**NEW**



## MULTI PARTS STAND 7720

Perfect solution for easy handling of hoods, doors etc.  
- four wheels, lockable with footbrake  
- effortless rotation of body panels assisted by gas spring.

PROD. NR.	DESCRIPTION	BOX
7720	<b>STAND</b>	<b>1</b>



**NEW**



## IR DRIER 5330

Powerfull, high quality, micro-processor controlled short wave IR drier. Stable, versatile construction.

Drier is equipped with high quality, durable IR emitters, specially designed for car paint curing. Powerful heat penetration directly into inner paint layers accelerates molecular reaction of paint. Remarkably saves drying time of all kinds of body shop materials.

- digital LCD display
- longest baking duration within 20 min
- max. power: 3 x 1100 W
- 3 IR lamps with individual ON-OFF control
- high-light, wide-angle, fully focused reflector
- uniform, focused cure area: no hot or cold spots
- easily adjustable cassette assembly height with gas shock strut
- curing area: 1200 x 1000 mm
- temperature: 40°C-100°C.

PROD. NR.	DESCRIPTION	WEIGHT	POWER SUPPLY	BOX
5330	<b>IR DRIER</b>	<b>39,5 kg</b>	<b>230 V</b>	<b>1</b>
5331	<b>SPARE BULB</b>	-	-	<b>1</b>





# PRECLEANING

## MULTIWASH TURBO 8005

Highly concentrated powerful general purpose alkaline prewash detergent/degreaser. Mainly meant for private vehicles. For the most stubborn dirt.

- removes fat, oil, waxes and other traffic film residues
- pre-washing, rim and motor cleaning
- insect residue removal.

### Dilution with water:

- 1:20 (5%) degreasing, engine cleaning
- 1:33 (3%) rim cleaning
- 1:50 (2%) - 1:67 (1,5%) prewashing, insect removal.

PROD. NR.	CONTENT	BOX
8005-5	5 kg	4
8005-28	28 kg	-



## TURBO STATIC 8012

Desire of every car wash - contactless (brushless) cleanser with enhanced penetrating and emulsifying power. With the use of advanced technology, this cleanser non aggressively discharges the static electricity of the car's body. Dirt can be removed without brushing and the lacquer is not exposed to aggressive cleanser. Especially recommended for the use at higher temperatures (i.e. summer time).

\*Brushless cleaning does not work at temperatures lower than 20°C.

- removes fat, oil, waxes and other traffic film residues
- pre-washing, rim and motor cleaning, - insect residue removal.

### Dilution with water:

- 1:20 (5%) degreasing, engine cleaning
- 1:33 (3%) rim cleaning
- 1:50 (2%) - 1:67 (1,5%) pre-washing, insect removal.

PROD. NR.	CONTENT	BOX
8012-5	5 kg	4
8012-28	28 kg	-



## RIM POWER 8025

Powerful acid based cleanser for wheels and alloy tyre rims. Very high content of the active ingredient.

- degreases, easily removes brake dust residues, tar
- removes limestone
- does not harm the air valve.

### Dilution with water:

- 1:3 (50%) - 1:5 (20%).

PROD. NR.	CONTENT	BOX
8025-5	5 L	4
8025-25	25 L	-



# EXTERIOR CLEANING

## TWISTER TURBO 8030

Highly concentrated premium shampoo for manual cleaning of bodywork and plastic parts.

- high viscosity, high foaming power
- tender to skin.

**Dilution with water:**

- 1:50 (2%) - 1:20 (5%).

PROD. NR.	CONTENT	BOX
8030-1	1 L	12
8030-5	5 L	4
8030-25	25 L	-



## RUBBER BLACK 8048

Premium quality, solvent based product for cleaning, nourishing and protecting rubber surfaces, especially car tyres.

- easy to apply with sprayer
- quick drying, antistatic effect
- excellent gloss which lasts up to 14 days.

**Dilution with water:**

- ready for use (not soluble in water).

PROD. NR.	CONTENT	BOX
8048	5 L	4



## RUBBER BLACK SPRAY 7003

Premium quality, solvent based product for cleaning, nourishing and protecting rubber surfaces, especially car tyres.

- quick drying, antistatic effect
- excellent gloss which lasts up to 14 days.

PROD. NR.	CONTENT	BOX
7003	400 ml	12



## PLASTIC RESTORER 7004

Clear protectant for the textured plastic components. To be applied to faded, chalky textured plastic to bring back the original appearance and luster.

- UV protection to prevent new textured plastic from fading and from getting tiger stripes
- silicone free.

**Dilution with water:**

- ready for use (not soluble in water).

PROD. NR.	CONTENT	BOX
7004	500 ml	12



NEW



## PLASTIC PAINT REFRESHER 7006

To retreat dark grey or black plastic which is faded out or has lost the color due to weathering.

- practical sponge for optimal application
- dark grey or black, which can be mixed to achieve other colors
- to refresh old plastic or unpainted plastic
- high quality and perfect finish.

PROD. NR.	COLOUR	BOX
7006-A	DARK GREY	12
7006-B	BLACK	12



NEW



# INTERIOR CLEANING AND CARE

## COCKPIT MILK GLEAM 2IN1 8065

"Milky" cleaner and tending product based on valuable silicone oils and special surfactants. Water based.

- 2in1 - cleaning and protection
- semi-glossy appearance, pleasant scent
- creates a long-lasting, antistatic protective film.

### Dilution with water:

- ready for use (or mixing ratio up to 1:4).

PROD. NR.	CONTENT	BOX
8065	5 L	4



## COCKPIT POLISH 3003

Cockpit spray for cleaning, polishing and preserving the cockpit and for plastics surfaces, rubber... Based on quality ingredients.

- silicone free, leaves pleasant matt appearance
- cleaning, polishing and protecting
- antistatic effect, refreshes surface appearance
- pleasant orange scent.

PROD. NR.	CONTENT	BOX
3003	600 ml	12






## FOAMING CLEANER ULTRA+ 4004

Universal, active foam cleaner quickly and effectively removes stains on all kinds of surfaces.

- active foam with pleasant scent
- quick and active functioning
- for all kinds of surfaces (glass, textile etc.).

PROD. NR.	CONTENT	BOX
4004	500 ml	12



## LEATHER ACTIVE 8075

A superb triple action product: revives, restores and protects leather in one smooth process.

- saves time and eliminates use of different detergents
- long-term protection and nourishing
- with lanolin.

PROD. NR.	CONTENT	BOX
8075	500 ml	12



# CLEANING EQUIPMENT AND TOOLS

## SPRAYER HD 360+ 5202

Robust and resistant construction. Patented system allows squirting independently of position or fullness of the squirt. Ergonomic handle and adjustable nozzle for spraying squirt or fine mist. Suitable for car body and interior cleaning.

PROD. NR.	DESCRIPTION	BOX
5202	SPRAYER, 1 L	1



## SPRAYER RIM 5204

Professional sprayer with PP pump, for applying acid based detergents. Usable volume: 1,5 L, operating pressure: 3 bar.

- safety valve
- plastic jacket wand to protect the non-return valve
- specially coated spring
- seals: FPM (Viton®).

PROD. NR.	DESCRIPTION	BOX
5204	SPRAYER 1,5 L	1



For  
Acidic  
Materials

## SPRAYER ALC 5206

Professional sprayer with PP pump, for applying alkaline detergents. Usable volume: 1,5 L, operating pressure: 3 bar.

- safety valve
- plastic jacket wand to protect the non-return valve
- specially coated spring
- seals: FPM (Viton®).

PROD. NR.	DESCRIPTION	BOX
5206	SPRAYER 1,5 L	1



For  
Alkaline  
Materials

## DRYING CLOTH ALCANTARA 4425

For cleaning and polishing of all types of surfaces.

- strong and durable
- machine washable.

PROD. NR.	DIMENSIONS	BOX
4425	60 x 80 cm	1



## DRYING CLOTH PVA S.WIPE 6421

Synthetic cloth made of revolutionary PVA foam. Chemical and solvent resistant.

- phenomenal liquid absorbing properties
- long-lasting
- for car body and glass surfaces.

PROD. NR.	DIMENSION	BOX
4624	44 x 32 x 0,2 cm	1



## MICROFIBRE TOWEL SUPERSOFT 1063

High performance, high-tech cloth, with millions of ultra fine fibers, provides exceptional power to clean dust and shine in your vehicle.

- washable up to 90°C
- large surface enables vast absorption
- to be used dry or with cleaning agents
- very soft – suitable also for the most sensitive surfaces
- different colours.

PROD. NR.	DESCRIPTION
1063-3	30 x 40 cm, 3 pcs



## CLEANING PAPER TOWELS SOFT 3 3030

3-ply lint-free soft paper towels for cleaning and degreasing of cars, tools and body parts.

- suitable for degreasing before painting
- 100% cellulose, excellent absorption
- extra strong, lint-free
- resistant to solvents
- 26 cm x 195 m.

PROD. NR.	DESCRIPTION	BOX
3030	<b>3-PLY PAPER 3,2 kg</b>	<b>2</b>
3913	<b>WALL HOLDER</b>	<b>1</b>



## CLEANING PAPER TOWELS 2020

2-ply soft paper towels for general use in cleaning.

- good absorption
- extra strong
- resistant to solvents
- 26,5 cm x 231 m.

PROD. NR.	DIMENSION	BOX
2020	<b>2-PLY PAPER</b>	<b>2</b>

